Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



69.57

SPRING, 1931

EVERGREENS

MAR 13 1931

Wholesale Prices to the Trade Only

HOWE NURSERIES

PENNINGTON, N. J.

Prices are net, F. O. B. Pennington.

30-day credit to customers who satisfy us by references or otherwise as to their credit responsibility.

We do not box the Ball & Burlap stock. It is shipped by carload or loaded on trucks.

Prices are subject to change without notice.

All orders are taken by us on condition that they become void in proportion to any loss or damage to our stock from causes beyond our control.

We feel sure that our stock will please you, as it pleases others.

EVERGREENS FOR ORNAMENT

BALL AND BURLAP

| Biota Aurea Nana 8-10 in 7.5 \$6.50 \$60.00 | Ball and Burlay | Size | Each Per Ten Per 100 |
|--|---|---------------|----------------------|
| Biota Compacta 10-12 '' 15-18 '' 170 6.00 50.00 10-12 '' 10-12 '' 10-12 '' 10-10 90.00 10-12 '' 10-12 '' 10-10 90.00 10-12 '' 10-10 90.00 10-12 '' 10-10 90.00 10-12 '' 10-10 90.00 10-12 '' 10-10 90.00 10-10 115.00 10-10 115.00 10-10 90.00 10-10 115.00 10-10 1 | Biota Aurea Nana | 8-10 in. | \$.75 \$6.50 \$60.00 |
| Biota Compacta | | 10-12 '' | .90 8.00 75.00 |
| Biota Compacta. 10-12 " 70 6.00 50.00 " 12-15 " 90 8.00 70.00 " 15-18 " 1.10 10.00 90.00 " 15-10 " 15-18 " 1.10 10.00 90.00 " 15-00 " 15-18 " 1.10 10.00 90.00 " 15-00 | | 12 10 | |
| 12-15 90 8.00 70.00 13-18 1.10 10.00 90.00 14 13 12-2 11 1.40 13.00 115.00 14 14 2-2 11 1.40 13.00 115.00 15 16 1.40 13.00 180.00 16 17 18-3 18-3 18-3 18-3 17 18 18 18-3 18-3 18-3 18 18 18 18-3 18-3 18 18 18 18-3 18-3 18 18 18 18-3 18-3 18 18 18 18-3 18-3 18 18 18 18-3 18-3 18 18 18 18-3 18 18 18 18 18 18 18 | | 10-10 | |
| | 21000 | | |
| " " 1½-2 ft, 1.40 13.00 115.00 " " " 2.2½ " 1.75 16.50 150.00 " " " 3.3½ " 2.50 24.00 " " " 3.4½ 4 " 3.00 29.00 " " " 4.4½ " 4.00 38.00 " " 4.4½ " 4.00 38.00 " " 5-6 " 7.00 Biota Elegantissima 1½-2 " 1.75 16.50 " " 2.2½ " 1.75 16.50 " " 2.2½ " 1.75 16.50 " " 2.2½ " 1.75 16.50 " " 2.2½ " 1.75 16.50 " " 2.2½ " 1.75 16.50 " " 2.2½ " 1.75 16.50 " " 2.2½ " 1.75 16.50 " " 2.2½ " 1.75 16.50 " " 2.2½ " 1.75 16.50 " " 2.2½ " 1.75 16.50 " " 2.2½ " 1.00 20.00 " " " 2.2½ " 1.00 20.00 " " " 2.2½ " 1.00 20.00 " " " 2.2½ " 1.00 20.00 " " " 2.2½ " 1.00 20.00 " " " 2.2½ " 1.00 20.00 " " " 2.2½ " 1.00 10.00 " " " 2.2½ " 1.00 10.00 " " " 2.2½ " 1.00 10.00 " " " 2.2½ " 1.00 10.00 " " " 2.2½ " 1.00 10.00 " " " 2.2½ " 1.00 10.00 " " " 2.2½ " 1.00 10.00 " " " 2.2½ " 1.00 10.00 " " " 2.2½ " 1.00 10.00 " " " 2.2½ " 1.00 10.00 " " " 2.2½ " 2.50 22.50 " " " " 2.2½ " 2.50 22.50 " " " " 2.2½ " 2.50 22.50 " " " " 2.2½ " 2.50 22.50 " " " " 2.2½ " 2.50 22.50 " " " " 2.2½ " 2.50 22.50 " " " " 2.2½ " 2.50 22.50 " " " " 2.2½ " 2.50 22.50 " " " " 2.2½ " 2.50 22.50 " " " " 2.2½ " 2.50 22.50 " " " " 2.2½ " 2.50 22.50 " " " " 2.2½ " 2.50 22.50 " " " " 2.2½ " 2.50 22.50 " " " " 2.2½ " 2.50 22.50 " " " " 2.2½ " 2.50 22.50 " " " " 2.2½ " 2.50 22.50 " " " " 2.2½ " 2.50 22.50 " " " " " 2.2½ " 2.50 22.50 " " " " " 2.2½ " 2.50 22.50 " " " " " 2.2½ " 2.50 22.50 " " " " " 2.2½ " 2.50 22.50 " " " " " 2.2½ " 2.50 22.50 " " " " " 2.2½ " 2.50 22.50 " " " " " 2.2½ " 2.50 22.50 " " " " " 2.2½ " " 2.50 22.50 " " " " " " 2.2½ " " 2.50 22.50 " " " " " " 2.2½ " " 2.50 22.50 " " " " " " 2.2½ " " 2.50 22.50 " " " " " " 2.2½ " " 2.50 22.50 " " " " " " 2.2½ " " 2.50 22.50 " " " " " " 2.2½ " " 2.50 22.50 " " " " " " 2.2½ " " 2.50 22.50 " " " " " " " 2.2½ " " 2.50 22.50 " " " " " " " 2.2½ " " 2.50 22.50 " " " " " " " 2.2½ " " 2.50 22.50 " " " " " " " 2.2½ " " 2.50 22.50 " " " " " " " " 2.2½ " " 2.50 22.50 " " " " " " " " 2.2½ " " 1.50 10.00 Juniper Communis Aurea 10 in65 6.00 55.00 " " " " " " " " " " " " " " " " " " " | | 12 10 | |
| ## ## ## ## ## ## ## ## ## ## ## ## ## | | 10 10 | |
| | *********** | | |
| "" " 3-3-1/2 " 2.50 24.00 | | <u>u-u /s</u> | |
| "" " | *************************************** | □ /2-0 | |
| "" " 4.4½" " 5.00 Biota Elegantissima | | | |
| *** *** *** *** *** *** *** *** *** ** | | | |
| Biota Elegantissima | | 1 1/2 | |
| Biota Elegantissima. 1½-2 '' 1.40 13.00 | ****** | | |
| Biota Orientalis. $1\frac{1}{2}\frac{2}{2}\frac{3}{3}$ 2.10 20.00 | | | |
| Biota Orientalis. $1\frac{1}{2}-2\frac{1}{2}$ 2.10 20.00 | | | |
| Biota Orientalis. 1½-2 " 95 8.50 70.00 " 2-2½ " 1.25 11.00 90.00 " 1.26 " 1.00 120.00 | | | |
| | | 1½-2 " | |
| "" " 3-3½" 2.00 19.00 19.00 "" " 4-4½" 3.25 "" " 4.00 "" " 4½-5 " 4.00 "" " 2½-3 " 3.25 30.00 "" " " 3½-4 " 5.25 25.00 "" " " 3½-4 " 5.25 25.00 "" " " 3½-4 " 5.25 50.00 "" " " 3½-4 " 5.25 50.00 "" " " 4-4½" 6.50 62.50 "" " " 4-4½" 6.50 62.50 "" " " 4-4½" 6.50 62.50 "" " " 4-4½ " 6.50 62.50 "" " " 5-6 " 10.00 95.00 "" " " 2½-3 " 2.75 25.00 "" " " 2½-3 " 2.75 25.00 "" " " 5-6 " 10.00 95.00 "" " " 34-4 " 3.50 32.50 "" " " 12-15 " 5.00 45.00 "" " 12-15 " 80 7.50 70.00 "" " " 12-15 " 80 7.50 70.00 "" " " 15-18 " 1.30 12.00 "" " " 15-18 " 1.30 12.00 "" " " 15-18 " 1.30 12.00 "" " " 15-18 " 1.50 13.00 | | 2-21/2 " | |
| "" "" 4.4½" 3.25 | | 21/2-3 "" | 1.60 14.00 120.00 |
| "" " 4-4½" 3.25 | | J-J 72 | 2.00 19.00 |
| Cryptomeria Lobbi Compacta. 2-2½ '' 2.50 22.50 Cryptomeria Lobbi Compacta. 2-2½ '' 2.50 22.50 '' '' 2½-3 '' 3.25 30.00 '' '' 33½ '' 4.00 37.50 '' '' 33½ '' 4.00 37.50 '' '' 3½-3 '' 5.25 50.00 '' '' 4½-5 '' 8.00 75.00 '' '' 4½-5 '' 8.00 75.00 '' '' 5-6 '' 10.00 95.00 Juniper Chinensis. 2-2½ '' 2.00 17.50 '' '' 2½-3 '' 2.75 25.00 '' '' 3-4 '' 3.50 32.50 '' '' 3-4 '' 3.50 32.50 '' '' 45 '' 5.6 '' 6.00 55.00 '' '' 12.00 17.50 '' '' 12.15 '' 8.00 75.00 Juniper Communis Aurea 10 in. 65 6.00 55.00 '' '' 15-18 '' 130 12.00 110.00 Juniper Depressa Plumosa 12-15 '' 80 7.50 70.00 Juniper Depressa Plumosa 12-15 '' 1.00 9.00 Juniper Excelsa Strieta 6-8 in. 60 5.00 40.00 '' '' 8-10 '' 70 6.50 Juniper Excelsa Strieta 6-8 in. 60 5.00 40.00 '' '' 12-15 '' 9.5 8.50 '' '' 13-18 '' 1.50 13.00 '' '' 15-18 '' 1.50 13.00 '' '' 15-18 '' 1.50 13.00 '' '' 15-18 '' 1.50 13.00 '' '' 18-24 '' 2.50 22.50 Juniper Excelsa Strieta 6-8 in. 60 5.00 40.00 '' '' 18-14 '' 2.50 22.50 Juniper Excelsa Strieta 6-8 in. 60 5.00 40.00 '' '' 18-18 '' 1.50 14.00 130.00 '' '' 18-24 '' 1.50 14.00 130.00 '' '' 18-24 '' 1.50 14.00 130.00 '' '' 18-24 '' 1.50 14.00 130.00 '' '' 18-24 '' 1.50 14.00 130.00 '' '' 18-24 '' 1.50 14.00 130.00 '' '' 18-24 '' 1.50 14.00 130.00 '' '' 18-24 '' 1.50 14.00 130.00 '' '' 18-24 '' 1.50 14.00 130.00 | | 0 /2 I | |
| Cryptomeria Lobbi Compacta. 2-2½ " 2.50 22.50 "" " 2½-3 " 3.25 30.00 "" " 33½-4 " 5.25 50.00 "" " 44½-5 " 8.00 75.00 "" " " 5-6 " 10.00 95.00 "" " " 6" 12.00 Juniper Chinensis 2-2½ " 2.00 17.50 "" " 34-4 " 3.50 32.50 "" " " 5-6 " 10.00 95.00 "" " " 5-6 " 10.00 95.00 "" " 12½-3 " 2.75 25.00 "" " 2½-3 " 2.75 25.00 "" " 12½-3 " 2.75 25.00 "" " 12½-3 " 2.75 25.00 "" " 12½-3 " 2.75 25.00 "" " 12½-3 " 2.75 25.00 "" " 12½-15 " 8.0 7.50 70.00 Juniper Communis Aurea Juniper Communis Aurea Juniper Communis Aurea 10 in. 65 6.00 55.00 "" " 15-18 " 95 9.00 85.00 "" " 15-18 " 1.30 12.00 110.00 Juniper Depressa Plumosa 12-15 " 1.00 9.00 "" " 18-24 " 1.30 12.00 110.00 "" " 18-24 " 2.00 18.00 "" " 18-24 " 2.00 18.00 "" " 18-24 " 2.00 18.00 "" " 18-24 " 2.00 18.00 "" " 12-15 " 8-10 " 70 6.50 Juniper Excelsa Strieta 6-8 in 60 5.00 40.00 "" " 8-10 " 70 6.50 "" " 12-15 " 95 8.50 "" " " 12-15 " 95 8.50 "" " " 18-24 " 1.50 14.00 130.00 "" " " 18-24 " 1.50 14.00 130.00 "" " " 18-24 " 1.50 14.00 130.00 "" " " 18-24 " 1.50 14.00 130.00 "" " " 18-24 " 1.50 14.00 130.00 "" " " " 18-24 " 1.50 14.00 130.00 "" " " " 18-24 " 1.50 14.00 130.00 "" " " " 18-24 " 1.50 14.00 130.00 "" " " " 18-24 " 1.50 14.00 130.00 | | T-T /2 | 3.25 |
| """ """ 2½-3 "" 3.25 30.00 """ """ 3-3½ "" 4.00 37.50 37.50 """ """ 3½-4 "" 5.25 50.00 50.00 """ """ 4-4½ "" 6.50 62.50 50.00 """ """ 4-½-5 "" 8.00 75.00 50.00 """ """ 5-6 "" 10.00 95.00 50.00 """ """ 2-2½ "" 2.00 17.50 17.50 """ """ 2-2½-3 "" 2.75 25.00 17.50 """ """ 3-4 "" 3.50 32.50 32.50 """ """ 4-5 "" 5.00 45.00 45.00 """ """ 5-6 "" 6.00 55.00 55.00 """ """ 5-6 "" 6.00 55.00 55.00 """ """ """ """ """ """ """ Juniper Communis Aurea 10 in. .65 6.00 55.00 55.00 """ """ """ """ """ """ """ """ """ """ """ """ """ """ | | T /2 -0 | |
| "" "" "" 3.24 " 4.00 37.50 "" "" "" 3.1/2.4 "" 5.25 50.00 "" "" "" 4.4½ "" 6.50 62.50 "" "" "" 4½-5 "" 8.00 75.00 "" "" 6 12.00 "" "" 6 "" 12.00 Juniper Chinensis 2-2½ "" 2.00 17.50 "" "" 4.5 "" 2.5 25.00 "" "" 2½-3 "" 2.75 25.00 "" "" 4-5 " 5.00 45.00 "" "" 4-5 " 5.00 45.00 Juniper Communis Aurea 10 In .65 6.00 <th< td=""><td>Cryptomeria Lobbi Compacta</td><td>2-21/2 "</td><td></td></th<> | Cryptomeria Lobbi Compacta | 2-21/2 " | |
| ## 10 | ••• | | |
| ## 15-18 ## 15-0 ## 15-18 ## 15-0 ## 15-18 ## 15-0 ## 15-18 ## 15-0 ## 15-0 ## 15-18 ## 15-0 # | • • | J-J 72 | |
| ### ### ### ### ### ### ### ### ### ## | •• | O /2-I | |
| """ """ 5-6 "" 10.00 95.00 Juniper Chinensis 2-2½ 2.00 17.50 2.75 25.00 2.75 25.00 2.75 25.00 2.75 25.00 2.75 25.00 2.75 25.00 2.75 25.00 2.75 25.00 | • | 4-4 72 | |
| Juniper Chinensis. 2-2½ " 2.00 17.50 | • • | T /2 -0 | |
| Juniper Chinensis 2-2½ " 2.00 17.50 """ 2½-3 " 2.75 25.00 """ 3-4 " 3.50 32.50 """ 4-5 " 5.00 45.00 """ 5-6 " 6.00 55.00 """ 6-7 " 7.50 Juniper Communis Aurea 10 in. .65 6.00 55.00 """ """ 12-15 " 80 7.50 70.00 """ """ 15-18 " .95 9.00 85.00 """ """ 18-24 " 1.30 12.00 110.00 Juniper Depressa Plumosa 12-15 " 1.00 9.00 """ """ 18-24 " 2.00 18.00 """ """ 2.2½ ft. 2.50 22.50 Juniper Excelsa Strieta 6-8 in. .60 5.00 40.00 """ """ 8-10 " .70 6.50 """ """ 12-15 " .95 8.50 """ """ 12-15 " .95 8.50 """ """ 12-15 " .95 8.50 | " | | |
| 1 | Inning Chinansis | - | |
| """ 3-4 "" 3,50 32,50 """ 4-5 "" 5,00 45,00 """ 5-6 "" 6,00 55,00 Juniper Communis Aurea 10 in. .65 6.00 55,00 """ 12-15 "" .80 7,50 70.00 """ """ 15-18 """ .95 9.00 85,00 """ """ 18-24 """ 1.00 9.00 """ """ 15-18 """ 1.50 13.00 """ """ 18-24 """ 2.00 18.00 """ """ 2.2½ ft 2.50 22.50 Juniper Excelsa Stricta 6-8 in .60 5.00 40.00 """ """ 8-10 """ """ 6.50 """ """ """ 8-10 """ """ 6.50 """ """ """ <t< td=""><td>0</td><td> / _</td><td></td></t<> | 0 | / _ | |
| """ 4-5 "" 5,00 45,00 """ 5-6 "" 6,00 55,00 Juniper Communis Aurea 10 in. .65 6,00 55,00 """ 12-15 "" 80 7,50 70,00 """ """ 15-18 "" 95 9,00 85,00 """ """ 18-24 "" 1,30 12,00 110,00 Juniper Depressa Plumosa 12-15 "" 1,00 9,00 """ """ 18-24 """ 1,00 9,00 """ """ 18-24 """ 2,00 18,00 """ """ 18-24 """ 2,00 18,00 """ """ 18-24 """ 2,50 22,50 Juniper Excelsa Stricta 6-8 in .60 5,00 40,00 """" """" 8-10 """ .70 6,50 """" """ """ <td></td> <td></td> <td></td> | | | |
| """ 5-6" 6.00 55.00 Juniper Communis Aurea 10 in. .65 6.00 55.00 """ 12-15" .80 7.50 70.00 """ 12-15" .80 7.50 70.00 """ 15-18" .95 9.00 85.00 """ 18-24" 1.30 12.00 110.00 Juniper Depressa Plumosa 12-15" 1.00 9.00 """ """ 18-24" 1.50 13.00 """ """ 18-24" 2.00 18.00 """ """ 18-24" 2.00 18.00 """ """ 18-24" 2.50 22.50 Juniper Excelsa Strieta 6-8 in. .60 5.00 40.00 """ """ """ """ """ """ """ """ """ """ """ """ """ """ """ """ """ """ """ """ """ """ " | " | 4-5 '' | |
| Juniper Communis Aurea 10 in. .65 6.00 55.00 """ "12-15 " 80 7.50 70.00 """ "15-18 " .95 9.00 85.00 """ "18-24 " 1.30 12.00 110.00 Juniper Depressa Plumosa 12-15 " 1.00 9.00 """ 15-18 " 1.50 13.00 """ 18-24 " 2.00 18.00 """ "" 2-2½ ft. 2.50 22.50 Juniper Excelsa Stricta 6-8 in. .60 5.00 40.00 """ """ 8-10 " "" 70 6.50 """ """ 10-12 " .95 8.50 """ """ 15-18 " 1.25 11.50 100.00 """ """ 15-18 " 1.25 11.50 100.00 """ """ 15-18 " 1.25 11.50 100.00 """ """ 18-24 " 1.50 14.00 130.00 """ """ """ """ """ """ """ """ """ """ """ """ """ """ """ """ """ <th< td=""><td>"</td><td>5-6 "</td><td></td></th<> | " | 5-6 " | |
| 12-15 16 18-16 18-17 18-18 | " | 6-7 " | 7.50 |
| 11 11 11 11 11 11 11 11 11 11 10 12 11 12 12 12 12 10 <td< td=""><td>Juniper Communis Aurea</td><td></td><td></td></td<> | Juniper Communis Aurea | | |
| "" "" 18-24 " 1,30 12.00 110.00 Juniper Depressa Plumosa 12-15 " 1.00 9.00 "" "" 15-18 " 1.50 13.00 "" "" 18-24 " 2.00 18.00 "" "" 2-2½ ft. 2.50 22.50 Juniper Execlsa Stricta 6-8 in. .60 5.00 40.00 "" "" 8-10 " .70 6.50 "" "" 10-12 " .85 7.50 "" "" "" 12-15 " .95 8.50 "" "" "" 15-18 " 1.25 11.50 100.00 "" "" "" 18-24 " 1.50 14.00 130.00 "" "" "" 24-30 " 1.80 17.00 160.00 "" "" "" 30-36 " 2.25 20.00 </td <td>" " "</td> <td>12-15 ''</td> <td></td> | " " " | 12-15 '' | |
| Juniper Depressa Plumosa 12-15 " 1.00 9.00 10.00 """ """ 15-18 " 1.50 13.00 13.00 """ """ 18-24 " 2.00 18.00 18.00 """ """ 2-2½ ft 2.50 22.50 18.00 Juniper Excelsa Strieta 6-8 in .60 5.00 40.00 """ """ 8-10 " 70 6.50 10.00 """ """ 10-12 " 85 7.50 10.00 """ """ 12-15 " 95 8.50 10.00 """ """ 18-24 " 1.50 14.00 130.00 """ """ 24-30 " 1.80 17.00 160.00 """ """ 30-36 " 2.25 20.00 10.00 | • • • • • | 10-10 | |
| 44 44 1.50 13.00 13.00 13.00 13.00 13.00 18.00< | • • • • • | 10-27 | |
| 10 10 18-18 1.50 18.00< | Juniper Depressa Plumosa | 12-15 | |
| Juniper Excelsa Strieta. 6-8 in. .60 5.00 40.00 8-10 .70 6.50 .85 7.50 < | • • • • | 10-10 | |
| Juniper Excelsa Strieta 6-8 in. .60 5.00 40.00 8-10 .70 6.50 | *** | | |
| 44 44 8-10 4 70 6.50 | •••• | | |
| """ """ 10-12 "" .85 7.50 """ """ 12-15 "" .95 8.50 """ """ 15-18 "" 1.25 11.50 100.00 """ """ 18-24 "" 1.50 14.00 130.00 """ """ 24-30 "" 1.80 17.00 160.00 """ """ 30-36 "" 2.25 20.00 | * · · · · · · · · · · · · · · · · · · · | | |
| $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | | . 010 | |
| $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | ••••• | | |
| $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | | | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | | 18-24 '' | 1.50 14.00 130.00 |
| 30-30 2.25 20.00 | | 24-00 | |
| 36 3.00 | | 50-50 | |
| | " " " " | 36 '' | 3.00 |

HOWE NURSERIES SPRING, 1931 PENNINGTON, N. J.

| 1 | Ball and | Burlap | Size | Each P | erTen Per100 |
|----------|---|---|--------------------------|---------------------------|--|
| Juniper | Glauca | | 1½-2 ft. | 1.60 | 15.00 140.00 |
| " | " | | 2-21/2 " | 2.00 | 19.00 175.00 |
| - " | " | | | 2.50 | 24.00 |
| " | | | 0 = 1 1 1 1 1 | 3.25 | $32.00 \dots$ |
| | " | | . 572-4 | | • |
| " | • | | • 4-0 | | • |
| | | • | . 5-0 | 8.50 · | • |
| | Hibernica | | | .45 | 3.00 35.00 |
| Jumper | 1110e1111ca | | | .55 | 5.00 45.00 |
| 4.6 | " | | | .80 | 7.00 65.00 |
| " | " | | . 2-21/2 " | 1.15 | 10.00 90.00 |
| " | " | | | 1.50 | 14.00 125.00 |
| " | " | | | 2.10 | 20.00 |
| | - " | • | | 2.75 | 26.00 |
| Juniper | Pfitzerian | ıa | . 12-15 in. | .60 | 5.00 45.00 |
| | " | • • • • • • • • • • | • 10-10 | .90 | 8.50 80.00 |
| " | " | | · 18-24 '' · 2-2½ ft. | $\frac{1.40}{1.80}$ | $13.00 120.00 \\ 17.00 160.00$ |
| | | | . 2½-3 " | $\frac{1.50}{2.70}$ | 25.00 |
| | " | | | 4.00 | 37.50 |
| " | " | | | 5.25 | 50.00 |
| Juniper | Procumb | ens | · 12-18 in. | .90 | 8.00 70.00 |
| " | 4.6 | | . 18-24 '' | 1.25 | 12.00 |
| | Sabina (s | spread) | . 10-12 '' | .55 | 4.50 35.00 |
| | 4.4 | | • 12-15 '' | .70 | 6.00 50.00 |
| " | " | " | . 15-18 '' | 1.00 | 9.00 75.00 |
| | " | •• | · 18-24 '' · 24-30 '' | 1.40 | 13.50 |
| 6.6 | 66 | " | . 30-36 '' | $\substack{1.85 \\ 2.50}$ | 17.50 23.50 |
| Juniper | Squamat | | • 50-50 | .80 | 7.50 70.00 |
| Juniper | Squamae | (· · · · · · · · · · · · · · · · · · · | . 10-12 '' | 1.10 | 10.00 |
| " | " | " | | 1.90 | 17.50 |
| " | " | " | | 2.75 | $25.00 \dots$ |
| | " | " | | 3.75 | 35.00 |
| 6.6 | " | " | | 4.75 | $45.00 \dots$ |
| " | " | • • • | | 6.25 | 60.00 |
| | | • • • | . 0 | 8.25 | 80.00 |
| Juniper | Tamaris | cifolia | | $\frac{1.00}{1.25}$ | 9.00 11.50 |
| Tuninos | Wouldoor | gan | | .90 | 11.50 8.00 70.00 |
| | | | | .80 | 7.00 |
| 11004 11 | | | | 1.00 | 8.50 |
| " | " | | . 2-21/2 " | 1.25 | 11.00 |
| " | | | | 1.75 | 15.00 |
| " | | | | 2.35 | $22.00 \dots$ |
| " | " | | | 3.00 | 28.00 |
| " | " | • • • • • • • • • • • | · ===72 | 4.00 | 38.00 |
| " | " | | . 1/2-0 | $\frac{4.75}{5.75}$ | 45.00 55.00 |
| " | | | 6-7 " | 6.75 | 65.00 |
| " | " | | | 10.00 | 90.00 |
| Pinus | | | 2-21/2 " | 1.85 | 17.00 150.00 |
| " | " | | | 2.25 | 20.00 180.00 |
| " " | " | | | 3.00 | 27.50 |
| " | " | | | 3,75 | 35.00 |
| " | " | | 111 - 11 | 4.75 | 45.00 |
| " | " | | . 1.72-0 | 6.50 | 60.00 |
| " | 26.6 | | 5-0 | $8.00 \\ 11.00$ | $75.00 \dots \dots \dots 100.00 \dots \dots \dots$ |
| " | 26.6 | | 0 1 | 11.00 14.00 | 100.00 |
| | | | , 0 | 11,00 | |

HOWE NURSERIES SPRING, 1931 PENNINGTON, N. J.

| "" " 214-3 " 1.30 12.00 | Ball | and Burlap | Size | Each : | PerTen Per100 |
|---|-------------|---|-------------|--------|----------------|
| " " " 2½-3 " 1.30 12.00 " " " 3-3½ " 1.70 16.00 " " " 4.5 " 3.40 32.00 " " " 4.5 " 3.40 32.00 " " " 5-6 " 4.25 40.00 " " 10-12 " 80 7.00 65.00 " " 10-12 " 80 7.00 65.00 " " 12-15 " 1.10 10.00 85.0 " " 12-15 " 1.10 10.00 85.0 " " 18-24 " 2.10 20.00 " " 22-½ " 1.25 11.00 100.0 " " 22-½ " 1.00 100.0 " " 24-3 " 1.60 14.00 125.0 " " 24-3 " 1.60 14.00 125.0 " " 24-3 " 1.60 14.00 100.0 " " 24-3 " 1.60 14.00 100.0 " " 24-3 " 1.60 14.00 100.0 " " 24-3 " 1.60 14.00 100.0 " " 24-3 " 1.60 14.00 100.0 " " 3-3½ " 2.00 19.00 " " 4-5 " 4.00 37.50 " " " 4-5 " 4.00 37.50 " " " 4-5 " 4.00 37.50 " " " 4-5 " 4.00 37.50 " " " 12-15 " 7.0 6.00 50.0 " " 12-15 " 7.0 6.00 50.0 " " 12-15 " 7.0 6.00 50.0 " " 12-15 " 1.00 9.00 " " 12-15 " 1.00 9.00 " " 12-15 " 1.00 9.00 " " 12-15 " 1.00 9.00 " " 12-15 " 1.00 9.00 " " 12-15 " 1.00 9.00 " " 12-15 " 1.00 9.00 " " 12-15 " 1.00 9.00 " " 12-15 " 1.00 9.00 " " 12-15 " 1.00 9.00 " " 12-15 " 1.00 9.00 " " 12-15 " 1.00 9.00 " " 12-15 " 1.00 9.00 " " 12-15 " 1.00 9.00 " " 12-15 " 1.00 9.00 " " 12-15 " 1.00 9.00 " " " 12-15 " 1.00 9.00 " " " " 12-15 " 1.00 9.00 " " " " " 12-15 " 1.00 9.00 " " " " " 12-15 " 1.00 9.00 " " " " " 12-15 " 1.00 9.00 " " " " " 12-15 " 1.00 9.00 " " " " " " 12-15 " 1.00 9.00 " " " " " " 12-15 " 1.00 9.00 " " " " " " 12-15 " 1.00 9.00 " " " " " " " 12-15 " 1.00 9.00 " " " " " " " 12-15 " 1.00 9.00 " " " " " " " 12-15 " 1.00 9.00 " " " " " " " 12-15 " 1.00 9.00 " " " " " " " " 12-15 " 1.00 9.00 " " " " " " " " 12-15 " 1.00 9.00 " " " " " " " " " " " " " " " " " " " | | flora | 2-21/2 " | 1.00 | 9.00 |
| *** | | | J /2-0 | 1.30 | |
| *** | | | 0 0 /2 | | $16.00 \dots$ |
| "" " | | | O /2 - T | | |
| Common Mugho 8-10 in 6-7 (* 5.50 50.00 45.00 10-12 (* 80 7.00 65.00 45.00 10-12 (* 80 7.00 65.00 10-12 (* 80 7.00 65.00 10-12 (* 1.10 10.00 85.00 10-12 (* 1.10 10.00 85.00 10-12 (* 1.10 10.00 85.00 10-12 (* 1.10 10.00 85.00 10-12 (* 1.10 10.00 85.00 10-12 (* 1.10 10.00 9.00 75.00 10-12 (* 1.10 10.00 9.00 75.00 10-12 (* 1.10 10.00 9.00 75.00 10-12 (* 1.10 10.00 9.00 75.00 10-12 (* 1.10 10.00 9.00 75.00 10-12 (* 1.10 10.00 9.00 75.00 10-12 (* 1.10 10.00 9.00 75.00 10-12 (* 1.10 10.00 9.00 75.00 10-12 (* 1.10 10.00 9.00 75.00 10-12 (* 1.10 10.00 9.00 10-12 (* 1.10 10.00 9.00 10-12 (* 1.10 10.00 9.00 10-12 (* 1.10 10.00 9.00 10-12 (* 1.10 10.00 9.00 10-12 (* 1.10 10.00 9.00 10-12 (* 1.10 10.00 9.00 10-12 (* 1.10 10.00 9.00 10-12 (* 1.10 10.00 9.00 10-12 (* 1.10 10.00 9.00 10-12 (* 1.10 10.00 9.00 10-12 (* 1.10 10.00 9.00 10-12 (* 1.10 10.00 9.00 10-12 (* 1.10 10.00 9.00 10-12 (* 1.10 10.00 9.00 10-12 (* 1.10 10.00 9.00 9.00 9.00 9.00 9.00 9.0 | | | | | |
| Pinus Mugho 8-10 in. .60 5.00 45.0 10-12 80 7.00 65.0 10-12 80 7.00 65.0 11-10 10.00 85.0 11-12 1.60 14.00 125.0 18-24 2.10 20.00 75.0 2-2½ 1.25 11.00 100.0 2-2½ 1.25 11.00 100.0 2-2½ 1.25 11.00 100.0 2-2½ 1.60 14.00 2.00 19.00 3.3½ 2.00 19.00 4.5 4.0 37.50 <td></td> <td></td> <td><i>9</i>-0</td> <td></td> <td></td> | | | <i>9</i> -0 | | |
| 10-12 1 | Pinne Much | | 0-1 | | |
| """ 12-15 "" 1.10 10.00 85.0 """ 15-18 "" 1.60 14.00 125.0 """ 18-24 "" 2.10 20.00 """ 2-2½ "" 1.25 11.00 100.0 """ 2-2½ "" 1.60 14.00 """ 2-2½ "" 1.60 14.00 """ 3-3½ "" 1.60 14.00 """ 3-3½ "" 1.60 14.00 """ 4-5 "" 4.00 37.50 """ 1.215 "" 5.0 5.00 40.0 Retinospora Filifera 10-12 "" 60 5.00 40.0 Retinospora Lutescens 12-15 "" 80 7.00 60.0 """ """ 12-15 "" 80 7.00 60.0 Retinospora Obtusa Crippsi 10-12 in 75 70.0 </td <td></td> <td></td> <td></td> <td></td> <td></td> | | | | | |
| "" " 15-18 " 1.60 14.00 125.0 "" 18-24 " 2.10 20.00 | " | | | | |
| Tinus Sylvestris. 11½-2 ft. 1.00 9.00 75.0 """ 2.2½" 1.155 11.00 100.0 """ 2.2½" 1.160 14.00 100.0 """ 3.3½" 2.00 19.00 27.50 """ 4.5 4.00 37.50 Retinospora Filifera 10-12 1 60 5.00 40.0 Retinospora Lutescens 12-15 1 80 7.00 60.0 Retinospora Obtusa Crippsi 10-12 in. 75 7.00 """ 12-15 1 7.00 9.00 80.0 """ 12-15 1 7.00 9.00 80.0 """ 12-15 1 7.00 9.00 80.0 """ 12-15 1 1.00 80.0 190.0 """ 12-15 1 1.00 80.0 50.0 """ 12-15 1 1.00 8 | | | | | |
| " " " " " " " " " " " " " " " " " " " | " | | 18-24 '' | 2.10 | |
| " " 14.00 10 | | tris | | | |
| " " " 3-3½" " 2.00 19.00 " 14.00 " 14.00 " 14.00 " 14.00 " 14.00 " 17.50 " 14.00 " 17.50 " 14.00 " 37.50 " 16.00 " 17.50 " 16.00 " 17.50 " 16.00 " 17.00 " 16.00 " 17.00 " 16.00 " 17.00 " 16.00 " 17.00 " 16.00 " 17.00 " 16.00 " 17.00 " 16.00 " 17.00 " 16.00 " 17.00 " 16.00 " 17.00 " 16.00 " 17.00 " 16.00 " 17. | | • | /- | | |
| " " " 31½-4 " 3.00 27.50 " " " 4-5 " 4.00 37.50 " " 5-6 " 5.00 " 12-15 " " 12-15 " " 12-15 " " 12-15 " " 12-15 " " 12-15 " " 12-15 " " 12-15 " " 10 9.00 80.0 " 10 9.00 80.0 " 11 12 15 1.00 9.00 " 11 12 15 1.00 9.00 " 12 15 1.00 8.50 75.0 " 12 15 1.00 1.00 " 12 1.00 1.00 " 12 1.00 1.00 " 12 1.00 1.00 " 12 1.00 1.00 " 12 1.00 1.00 " 12 1.00 1.00 " | | | | | |
| ## 10-12 *** | | | 0-0 72 | | |
| Retinospora Filifera 10-12 " 60 5.00 40.0 Retinospora Lutescens 12-15 " 70 6.00 50.0 Retinospora Lutescens 12-15 " 80 7.00 60.0 Retinospora Obtusa Crippsi 10-12 in 75 7.00 " " " " 1½-2 ft, 2.75 25.00 " " " " 2½-3 " 4.50 42.50 Retinospora Pisifera Aurea 1½-2 " 1.00 8.50 75.0 " " " " 2½-3 " 4.50 42.50 Retinospora Pisifera Aurea 1½-2 " 1.00 8.50 75.0 Retinospora Plumosa 12-15 in 60 5.00 40.0 " " " " 15-18 " 80 6.00 50.0 Retinospora Plumosa 12-15 in 60 5.00 40.0 " " " 18-24 " 1.25 10.00 Retinospora Plumosa Aurea 12-15 " 60 5.00 40.0 " " " 1½-2 ft, 1.00 8.50 75.0 " " " " " 2½-3 " 2.20 20.00 190.0 " " " " " 1½-2 ft, 1.00 8.50 75.0 " " " " " 2½-3 " 2.20 20.00 190.0 " " " " " 2½-3 " 2.20 20.00 190.0 " " " " " 1½-2 ft, 1.00 8.50 75.0 " " " " " 2½-2½ " 1.75 15.00 125.0 " " " " " 2½-2½ " 1.75 15.00 125.0 " " " " " 2½-2½ " 1.75 15.00 125.0 " " " " " 2½-2½ " 1.75 15.00 125.0 " " " " " 2½-2½ " 1.75 15.00 125.0 " " " " 2½-3 " 2.20 20.00 190.0 " " " " 2½-3 " 2.20 20.00 190.0 " " " " 2½-3 " 2.20 20.50 190.0 " " " " 2½-3 " 2.20 20.50 190.0 " " " " 2½-3 " 2.20 20.50 190.0 " " " " " 2½-2½ " 1.75 15.00 125.0 " " " " 2½-3 " 2.20 20.50 190.0 " " " " 2½-3 " 2.20 20.50 190.0 " " " " 2½-2½ " 1.75 15.00 125.0 " " " " 2½-2½ " 1.75 15.00 125.0 " " " " 2½-2½ " 5.00 Paxus Canadensis 15-18 in 2.25 20.00 Paxus Cuspidata (upright) 12-15 in 2.00 17.50 Paxus Cuspidata (spread) 12-15 in 1.20 17.50 Paxus Cuspidata (spread) 12-15 in 1.20 17.00 Paxus Cuspidata (spread) 12-15 in 1.20 11.00 | | | 0 /2-1 | | |
| Retinospora Filifera 10-12 " 60 5.00 40.0 " 12-15 " 70 6.00 50.0 Retinospora Lutescens 12-15 " 80 7.00 60.0 60.0 " 15-18 " 1.00 9.00 80.0 Retinospora Obtusa Crippsi 10-12 in. 75 7.00 " 12-15 " 1.00 9.00 " 12-15 " 1.00 9.00 " 12-15 " 1.00 9.00 " 12-15 " 1.00 9.00 " 12-15 " 1.00 9.00 " 12-15 " 1.00 9.00 " 12-15 " 1.00 9.00 " 12-15 " 1.00 9.00 " 12-15 " 1.00 9.00 " 12-15 " 1.00 9.00 " 12-15 " 1.00 8.50 75.0 " 12-15 " 1.00 8.50 75.0 " 12-15 " 1.00 8.50 75.0 " 12-15 " 1.00 8.50 75.0 " 12-15 " 1.00 8.50 75.0 " 12-15 " 1.00 8.50 75.0 " 12-15 " 1.00 8.50 75.0 " 12-15 " 1.00 8.50 75.0 " 12-15 " 1.00 8.50 75.0 " 12-15 " 1.00 8.50 75.0 " 12-15 " 1.00 8.50 75.0 " 12-15 " 1.00 8.50 75.0 \$ 1.00 \$ | | | 4-0 | | |
| Retinospora Lutescens 12-15 '' 80 7.00 60.0 60.0 Retinospora Lutescens 12-15 '' 80 7.00 60.0 60.0 Retinospora Obtusa Crippsi 10-12 in. 75 7.00 .'' '' 12-15 '' 1.00 9.00 80.0 Retinospora Obtusa Crippsi 10-12 in. 75 7.00 .'' '' 12-15 '' 1.00 9.00 .'' '' 1½-2 ft, 2.75 25.00 .'' '' 2-2½ '' 3.25 30.00 .'' '' 2-2½ '' 3.25 30.00 .'' '' 2-2½ '' 1.00 8.50 75.0 .'' '' '' 2-2½ '' 1.00 8.50 75.0 .'' '' '' 2-2½ '' 1.75 15.00 125.0 .'' '' '' 2-2½ '' 1.75 15.00 125.0 .'' '' '' 15-18 '' 80 6.00 50.0 .'' '' 15-18 '' 80 6.00 50.0 .'' '' 15-18 '' 1.00 8.50 75.0 .'' '' 15-18 '' 1.00 8.50 75.0 .'' '' 15-18 '' 1.00 8.50 75.0 .'' '' 15-18 '' 1.00 8.50 75.0 .'' '' 15-18 '' 1.00 8.50 75.0 .'' '' 15-18 '' 1.00 8.50 75.0 .'' '' 1½-2 ft, 1.00 8.50 75.0 ' '' 1½-2 ft, 1.00 8.50 7 | Retinospora | | | | |
| Retinospora Lutescens 12-15 '' | | | | | |
| Retinospora Obtusa Crippsi 10-12 in. 75 7,00 Retinospora Obtusa Crippsi 10-12 in. 75 7,00 "" " " 12-15 " 1,00 9,00 "" " 1½-2 ft. 2,75 25,00 Retinospora Pisifera Aurea 1½-2 " 1,00 8,50 75.0 "" " " 2-2½ " 1,75 15,00 125.0 Retinospora Plumosa 12-15 in. 60 5,00 40.0 Retinospora Plumosa Aurea 12-15 in. 60 5,00 40.0 "" " " 15-18 " 80 6,00 50.0 Retinospora Plumosa Aurea 12-15 " 60 5,00 40.0 "" " " 1½-2 ft. 1,00 8,50 75.0 "" " " 15-18 " 70 6,00 50.0 "" " " 1½-2 ft. 1,00 8,50 75.0 "" " " 1½-2 ft. 1,00 8,50 75.0 Retinospora Squarrosa V. 15-18 in. 70 6,00 50.0 "" " " 1½-2 ft. 1,00 8,50 75.0 "" " 1½-3 " 2,2½ " 1,75 15.00 125.0 "" " 1½-3 " 2,2½ " 1,75 15.00 125.0 "" " 1½-3 " 2,2½ " 1,75 15.00 125.0 "" " 1½-3 " 2,2½ " 1,75 15.00 125.0 "" " 1½-3 " 2,2½ " 1,75 15.00 125.0 "" " 1½-3 " 2,2½ " 1,75 15.00 125.0 "" " 1½-3 " 2,2½ " 1,75 15.00 125.0 "" " 1½-3 " 2,2½ " 1,75 15.00 125.0 "" " 1½-3 " 1,00 8,50 75.0 "" " 1½-3 " 1,00 8,50 75.0 "" " 1½-3 " 1,00 8,50 75.0 "" " 1½-3 " 1,00 8,50 75.0 "" " 1½-3 " 1,00 8,50 75.0 "" " 1½-3 " 1,00 8,50 75.0 "" " 1½-3 " 1,00 8,50 75.0 " | Retinospora | Lutescens | . 12-15 '' | | |
| """ "" 12-15 " 1,00 9,00 """ "" 1½-2 ft. 2.75 25,00 """ """ 2½-3 " 4.50 42,50 Retinospora Pisifera Aurea 1½-2 " 1.00 8.50 75.0 """ """ 2½-3 " 2.20 20.00 190.0 | " | | . 15-18 '' | 1.00 | 9.00 80.00 |
| """ "" 12-15 " 1,00 9,00 """ "" 1½-2 ft. 2.75 25,00 """ """ 2½-3 " 4.50 42,50 Retinospora Pisifera Aurea 1½-2 " 1.00 8.50 75.0 """ """ 2½-3 " 2.20 20.00 190.0 | Retinospora | Obtusa Crippsi . | | | |
| """ """ 2-2/3/2 "" 3,25 30,00 Retinospora Pisifera Aurea 1/4-2 "" 1.00 8,50 75.0 """ """ 2-2/½ "" 1.00 8,50 75.0 """ """ 2-2/½ "" 1.00 8,50 75.0 """ """ 2-2/½ "" 1.00 8,50 75.0 """ """ 2-15 in 60 5.00 40.0 Retinospora Plumosa Aurea 12-15 " 80 6.00 50.0 """ """ 15-18 "" 60 5.00 40.0 Retinospora Plumosa Aurea 12-15 " | " " | | 12 10 | | |
| Retinospora Pisifera Aurea. 1½-2 '' 1.00 8.50 75.0 '' '' 2-2½ '' 1.75 15.00 125.0 '' '' 2½-3 '' 2.20 20.00 190.0 Retinospora Plumosa 12-15 in. 60 5.00 40.0 Retinospora Plumosa Aurea. 12-15 ii. 60 5.00 40.0 Retinospora Plumosa Aurea. 12-15 '' 60 5.00 40.0 Retinospora Plumosa Aurea. 12-15 '' 60 5.00 40.0 '' '' 15-18 '' 70 6.00 50.0 '' '' 15-18 '' 70 6.00 50.0 '' '' 1½-2 ft. 1.00 8.50 75.0 '' '' 2½-3 '' 2.20 20.00 190.0 Retinospora Plumosa Aurea. 12-15 '' 60 5.00 40.0 '' '' 15-18 '' 70 6.00 50.0 '' '' 1½-2 ft. 1.00 8.50 75.0 '' '' 3½-4 '' 3.3½ '' 2.75 25.00 Retinospora Squarrosa V. 15-18 in. 70 6.00 50.0 '' '' 3½-4 '' 3.25 30.00 Retinospora Squarrosa V. 15-18 in. 70 6.00 50.0 '' '' 2-2½ '' 1.75 15.00 125.0 '' '' 3½-4 '' 3.25 30.00 Retinospora Squarrosa V. 15-18 in. 70 6.00 50.0 '' '' 2-2½ '' 1.75 15.00 125.0 '' '' 3½-4 '' 3.25 30.00 Retinospora Squarrosa V. 15-18 in. 70 6.00 50.0 '' '' 2-2½ '' 1.75 15.00 125.0 '' '' 2-2½ '' 1.75 15.00 125.0 '' '' 2-2½ '' 1.75 15.00 125.0 '' '' 2-2½ '' 1.75 15.00 125.0 '' '' 2-2½ '' 1.75 15.00 125.0 '' '' 2-2½ '' 1.75 15.00 125.0 '' '' 2-2½ '' 1.75 15.00 125.0 '' '' 2-2½ '' 1.75 15.00 125.0 '' '' 2-2½ '' 1.75 15.00 125.0 '' '' 2-2½ '' 1.75 15.00 125.0 '' '' 2-2½ '' 1.75 15.00 125.0 '' '' 2-2½ '' 1.75 15.00 125.0 '' '' 2-2½ '' 1.75 15.00 125.0 '' '' 15-18 in. 2.25 20.00 '' '' 2-2½ '' 5.00 45.00 '' '' 15-18 '' 2.50 22.50 '' '' 15-18 '' 2.50 22.50 '' '' 15-18 '' 2.50 22.50 ''' '' 15-18 '' 2.50 22.50 ''' '' 15-18 '' 2.25 20.00 ''' '' 15-18 '' 2.25 20.00 ''' 15-18 '' 2.25 20.00 ''' '' 15-18 '' 2.25 20.00 ''' 15-18 '' 2.25 20.00 ''' '' 15-18 '' 2.25 20.00 ''' '' 15-18 '' 2.25 20.00 ''' '' 15-18 '' 2.25 20.00 ''' '' 15-18 '' 2.25 20.00 ''' '' 15-18 '' 2.25 20.00 ''' '' 15-18 '' 2.25 20.00 ''' '' 15-18 '' 2.25 20.00 ''' '' 15-18 '' 2.25 20.00 ''' '' 15-18 '' 2.25 20.00 ''' '' 15-18 '' 2.25 20.00 ''' '' 15-18 '' 2.25 20.00 ''' '' | | | | | |
| Retinospora Pisifera Aurea 1½-2 '' 1.00 8.50 75.0 125.0 '' 2-2½ '' 1.75 15.00 125.0 '' 2.20 20.00 190.0 '' 2.50 20.00 190.0 '' 2.50 20.00 190.0 '' 2.50 20.00 190.0 '' 2.50 20.00 190.0 '' 2.50 20.00 190.0 '' 2.50 20.00 190.0 '' 2.50 20.00 190.0 '' 2.50 20.00 190.0 '' 2.50 20.00 190.0 '' 2.50 20.00 20.00 190.0 '' 2.50 20.00 20.00 190.0 '' 2.50 20.00 20.00 190.0 '' 2.50 20.00 20.00 190.0 '' 2.50 20.00 20.00 190.0 '' 2.50 20.00 20.00 190.0 '' 2.50 20.00 190.0 '' 2.50 20.00 190.0 '' 2.50 20.00 190.0 '' 2.50 20.00 190.0 '' 2.50 20.00 190.0 '' 2.50 20.00 190.0 '' 2.50 20.00 190.0 '' 2.50 20.00 20.00 190.0 '' 2.50 20.00 20.00 190.0 '' 2.50 20.00 20.00 190.0 '' 2.50 20.00 20.00 190.0 '' 2.50 20.0 | | • | . 2-2 72 | | 10.50 |
| Retinospora Plumosa 12-15 in 60 5.00 40.0 Retinospora Plumosa 12-15 in 60 5.00 40.0 Retinospora Plumosa 12-15 in 60 5.00 40.0 Retinospora Plumosa Aurea 12-15 ii 80 6.00 50.0 Retinospora Plumosa Aurea 12-15 ii 60 5.00 40.0 Retinospora Plumosa Aurea 12-15 ii 60 5.00 40.0 Retinospora Plumosa Aurea 12-15 ii 60 5.00 40.0 ii ii 7 | | | /2 | | |
| "" "" 2½-3 " 2.20 20.00 190.0 Retinospora Plumosa 12-15 in. 60 5.00 40.0 "" 15-18 80 6.00 50.0 40.0 "" 15-18 80 6.00 50.0 50.0 Retinospora Plumosa Aurea 12-15 60 5.00 40.0 "" "" 15-18 70 6.00 50.0 "" "" "" 15-18 "" 70 6.00 50.0 "" "" "" 15-18 "" 70 6.00 50.0 "" "" "" 12-18 "" 70 6.00 50.0 "" "" "" 2-2½ "" 1.75 15.00 125.0 "" "" "" 2½-3 "" 2.20 20.00 190.0 "" "" "" 15-18 "" 70 6.00 50.0 Retinospora Squarrosa V" 15-18 in. "" 70 6.00 50.0 <td></td> <td></td> <td></td> <td></td> <td></td> | | | | | |
| Retinospora Plumosa | | • | | | |
| Retinospora Plumosa 12-15 in 60 5.00 40.0 '' '' 15-18 '' 80 6.00 50.0 Retinospora Plumosa Aurea 12-15 '' 60 5.00 40.0 Retinospora Plumosa Aurea 12-15 '' 60 5.00 40.0 '' '' 15-18 '' 70 6.00 50.0 '' '' 15-18 '' 70 6.00 50.0 '' '' 1½-2 ft. 1.00 8.50 75.0 '' '' 2-2½' '' 1,75 15.00 125.0 '' '' '' 3-3½-4 '' 2.20 20.00 190.0 '' '' '' 3-3½-4 '' 3.25 30.00 Retinospora Squarrosa V. 15-18 in 70 6.00 50.0 '' '' 1½-2 ft. 1.00 8.50 75.0 '' '' 1½-2 ft. 1.00 8.50 75.0 '' '' 1½-2 ft. 1.00 8.50 75.0 '' '' 2-2½ '' 1.75 15.00 125.0 '' '' 3-3½ '' 2.75 25.00 '' '' 3-3½ '' 2.75 25.00 '' '' 3-3½ '' 2.75 25.00 '' '' 3-3½ '' 2.75 25.00 '' '' 3-3½ '' 2.75 25.00 '' '' 3-3½ '' 2.75 25.00 '' '' 2-2½ ft. 4.50 42.50 400.0 '' '' 2-2½ ft. 4.50 42.50 400.0 '' '' 2-2½ ft. 3.25 30.00 '' '' 2-2½ ft. 3.50 32.50 '' '' 2-2½ '' 5.00 45.00 '' '' 2-2½ '' 5.00 45.00 '' '' '' 15-18 '' 2.25 22.50 Specimen on application) 1½-2 ft. 3.50 32.50 '' '' '' 15-18 '' 2.25 20.00 ''' '' 15-18 '' 2.25 20.00 ''' '' 15-18 '' 2.25 20.00 ''' '' 15-18 '' 2.25 20.00 ''' '' 15-18 '' 2.25 20.00 ''' '' 15-18 '' 2.25 20.00 ''' '' 15-18 '' 2.25 20.00 ''' '' 15-18 '' 2.25 20.00 ''' '' 15-18 '' 2.25 20.00 ''' '' 15-18 '' 2.25 30.00 | | | | | |
| "" 15-18 " 80 6,00 50.0 Retinospora Plumosa Aurea. 12-15 " .60 5.00 40.0 "" "" 15-18 " .70 6.00 50.0 "" "" 15-18 " .70 6.00 50.0 "" "" 1½-2 ft. 1.00 8.50 75.0 "" "" 2½-3 " 2.20 20.00 190.0 "" "" "" 3½-3 " 2.20 20.00 190.0 "" "" "" 3½-4 " 3.25 30.00 Retinospora Squarrosa V. 15-18 in. .70 6.00 50.0 "" "" 1½-2 ft. 1.00 8.50 75.0 "" "" 2½-3 " 1.00 8.50 75.0 "" "" 1½-2 ft. 1.00 8.50 75.0 "" "" 2½-3 " 2.20 20.50 190.0 "" "" "" 2.2½-3 " 2.20 20.50 190.0 2.25 20.00 2.25 | Retinospora | | | | |
| Retinospora Plumosa Aurea 12-15 ' 60 5,00 40.0 ' 60 60 50.0 ' 60 60 50.0 ' 60 60 50.0 ' 60 60 50.0 ' 60 60 60 60 60 60 60 60 60 60 60 60 60 | 44 | | . 15-18 '' | .80 | 6.00 50.0 |
| Actinospora Flumospora (16.18) (16.18) (17.00) | " | | | 1.25 | $10.00 \dots$ |
| 66 66 67 11½-2 ft. 1.00 8.50 75.00 67 66 69 11½-2 ft. 1.00 8.50 75.00 125.00 67 67 67 1.00 1 | Retinospora | | , 14-10 | | |
| Caxus Canadensis 15-18 in 2.25 25 20 20 20 20 20 20 | | • • | 10.10 | | |
| ii ii ii 2½-3 2.20 20.00 190.0 ii ii ii 3-3½ 2.75 25.00 Retinospora Squarrosa V. 15-18 in. .70 6.00 50.0 ii ii 1½-2 ft. 1.00 8.50 75.0 ii ii 2-2½-4 1.75 15.00 125.0 ii ii 22½-3 2.20 20,50 190.0 ii ii 3-3½-4 2.75 25.00 iii ii 3-3½-4 2.75 25.00 iii iii 3-3½-4 2.75 25.00 faxus Canadensis 15-18 in. 2.25 20.00 iii iii 2.25 20.00 iii iii 2.25 20.00 iii iii 2.25 30.00 275.0 faxus Canadensis 15-18 in. 2.25 20.00 iii iii 2.24-3 6.00 55.00 | | • • | | | |
| Canadensis 15-18 in. 2.25 25.00 Cate Canadensis 15-18 in. 2.25 25.00 Cate Canadensis 15-18 in. 2.25 25.00 Cate Canadensis 15-18 in. 2.25 20.00 Cate Canadensis 15-18 in. 2.00 17.50 Cate Canadensis 15-18 in. 2.00 17.50 Cate Cate Cate Cate Cate Cate Cate Cate | | • • | . 2 2 /2 | | |
| Retinospora Squarrosa V. 15-18 in. 70 6.00 50.0 11/4-2 ft. 1.00 8.50 75.0 11/4-2 ft. 1.00 8.50 75.0 11/4-2 ft. 1.75 15.00 125.0 12/4-3 12 2.20 20.50 190.0 13-31/2 12 2.75 25.00 13-31/2 12 2.75 25.00 14 13-24 13 3.25 30.00 15-18 in. 2.25 20.00 15-18 in. 2.25 20.00 16 22 1/2 14 4.50 42.50 400.0 17 2 1/2 3 14 4.50 42.50 400.0 18 2 1/2 3 14 4.50 42.50 400.0 18 2 1/2 3 14 4.50 42.50 400.0 18 2 1/2 3 14 5.50 22.50 18 2 14 15 in. 2.00 17.50 18 2 15 in. 2.00 17.50 18 2 15 in. 2.50 22.50 18 2 16 2 17 5 18 18 18 2.50 22.50 18 2 17 2 18 18 18 2.50 22.50 18 2 18 2 18 2 18 2 18 2 18 2 18 2 18 | | • • | 2/3 9 | | |
| Retinospora Squarrosa V. 15-18 in70 6.00 50.0 125.0 126.0 125.0 | | • | 0-0 /2 | | |
| "" 1½-2 ft. 1.00 8.50 75.00 "" 2-2½" 1.75 15.00 125.00 "" 2.2½-3" 2.20 20.50 190.00 "" 3-3½" 2.75 25.00 "" 3½-4 1 3.25 30.00 "" 18-24 1 3.25 30.00 275.00 "" 18-24 1 3.25 30.00 275.00 "" 2-2½ ft. 4.50 42.50 400.00 "" 2½-3 1 6.00 55.00 "" (" 2-2½ ft. 4.50 42.50 400.00 "" (" 12-15 in. 2.00 17.50 "" (Prices on 4 to 6½ ft. 15-18 1 2.00 17.50 "" (" 2-2½" 1 3.50 32.50 "" (" 2-2½" 1 5.00 45.00 "" (" 2-2½" 1 5.00 45.00 "" (" 15-18 1 2.25 20.00 "" (" 2-2½" 1 5.00 45.00 "" (" 15-18 1 2.25 20.00 "" (" 15-18 1 2.25 20.00 "" (" 15-18 1 2.25 20.00 "" (" 15-18 1 2.25 20.00 "" (" 15-18 1 2.25 20.00 "" (" 15-18 1 2.25 20.00 "" (" 15-18 1 2.25 20.00 "" (" 15-18 1 3.25 30.00 "" (" 2-2½" 1 3.25 30.00 "" (" 2-2½" 1 3.25 30.00 "" (" 2-2½" 1 4.75 45.00 "" (" 2-2½" 1 4.75 45.00 | | | 0 /2 1 | | |
| "" " | | | | | |
| *** *** *** *** *** *** *** *** *** ** | " | " | | | |
| " " " " " " " " " " " " " " " " " " " | 4.6 | " | | 2.20 | 20.50 190.0 |
| Faxus Canadensis 15-18 in. 2.25 20.00 """ 18-24 "" 3.25 30.00 275.0 """ 2-2½ ft. 4.50 42.50 400.0 "axus Cuspidata (upright) 12-15 in. 2.00 17.50 (Prices on 4 to 6½ ft. 15-18 " 2.50 22.50 Specimen on application 1½-2 ft. 3.50 32.50 """ 2-2½ " 5.00 45.00 Paxus Cuspidata (spread) 12-15 in. 1.20 11.00 """ """ 15-18 " 2.25 20.00 """ """ 11½-2 ft. 3.25 30.00 """ """ 12-2½ " 4.75 45.00 | " | | 0-0/2 | | $25.00 \ldots$ |
| " " " " " " " " " " " " " " " " " " " | " | " | 0 /2-1 | | |
| " " " " " " " " " " " " " " " " " " " | | | | | |
| Caxus Cuspidata (upright) 12-15 in 2.00 17.50 (Prices on 4 to 6½ ft. 15-18 " 2.50 22.50 Specimen on application) 1½-2 ft. 3.50 32.50 Craxus Cuspidata (spread) 12-15 in. 1.20 11.00 Craxus Cuspidata (spread) 1½-2 ft. 3.25 20.00 """ """ 1½-2 ft. 3.25 30.00 """ """ """ 4.75 45.00 """ """ 2-2½" 4.75 45.00 """ """ 2-2½" 6.00 | | | . 10-24 | | |
| Caxus Cuspidata (upright) 12-15 in. 2.00 17.50 (Prices on 4 to 6½ ft. 15-18 " 2.50 22.50 Specimen on application) 1½-2 ft. 3.50 32.50 "" 2-2½ " 5.00 45.00 Caxus Cuspidata (spread) 12-15 in. 1.20 11.00 "" 15-18 " 2.25 20.00 "" 1½-2 ft. 3.25 30.00 "" "" 2-2½ " 4.75 45.00 "" "" 2½-3 " 6.00 | | | | | |
| (Prices on 4 to 6½ ft 15-18 ' 2.50 22.50 | | | . 2 /2-0 | | |
| Specimen on application). 1½-2 ft. 3.50 32.50 | Taxus Cuspi | data (uprignt) | . 15-18 44 | | |
| Caxus Cuspidata (spread) 12-15 in. 1.20 11.00 | | ı = tO O/Z It | | | |
| Taxus Cuspidata (spread) 12-15 in. 1.20 11.00 | | on application) | 2-21/2 | | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | | idata (spread) | | | |
| " " " 2-2½" 4.75 45.00 " " 2½-3 " 6.00 | "" (| (6) | | 2.25 | 20.00 |
| · · · · · · · · · · · · · · · · · · · | " | • • • • | | | |
| 272 0 | | • • • • | /2 | | |
| · · · · · · · · · · · · · · · · · · · | | • • • • | 2 /2 0 | | |
| | | " | . 3 " | 8.50 | •••••• |

| | Ball a | nd Burlap | | S | ize | Each | Per Ten | Per 100 |
|-------|--------|---|-------------|---|-----|---------------------|---------------|-----------------|
| Taxus | Cuspid | lata Brevet | folia | 18-24 | in. | 4.50 | ••••• | |
| 6.6 | i. | " | | $2 - 2\frac{1}{2}$ | ft. | 7.00 | | |
| 4.6 | 6.6 | " | | $2\frac{1}{2}-3$ | 6.6 | 10.00 | | |
| " | 6.6 | " | | 3-31/2 | " | 15.00 | | |
| Taxus | Hicksi | | | $2-2\frac{1}{2}$ | | 5. 00 | | |
| " " | " " | | | $2\frac{1}{2}-3$ | | 7.00 | 65.00 | |
| " | " | • • • • • • • • • • | | $3\text{-}3\frac{1}{2}$ | " | 10.00 | 95.00 | |
| " " | " | | | $3\frac{1}{2}-4$ | . " | 15.00 | ••••• | |
| | | a | | 8-10 | | .50 | 4.50 | 40.00 |
| " | " | | | 10-12 | | .70 | 6.00 | 50.00 |
| " " | " | | | 12 - 15 | | .80 | 7.00 | 60.00 |
| " | " | | | 15-18 | | 1.00 | 7.50 | |
| " | " " | | | 18-24 | | 1.35 | 8.25 | |
| Thuya | | | ody). | $2 - 2\frac{1}{2}$ | ft. | 1.10 | 10.00 | 95.00 |
| " | " | | | $2\frac{1}{2}-3$ | | 1.40 | 13.00 | 125.00 |
| " | " | | | 3-31/2 | | 1.80 | 17.00 | • • • • • • • |
| | | | ٠. | 3 1/2 -4 | " | 2.35 | | |
| Thuya | Mary | Corey | | 2-21/2 | " | 1.10 | 10.00 | 95.00 |
| " | " | | • • • • • | 21/2-3 | " | 1.40 | 13.00 | ••••• |
| " | " | • • • • • | • • • • • | 3-31/2 | " | 1.80 | 17.00 | ••••• |
| " | " | | • • • • • | 31/2-4 | " | 2.35 | 22.00 | ••••• |
| | | | · · · · · · | $\frac{4-4\frac{1}{2}}{2\frac{1}{2}-3}$ | " | 3.00 | 28.00 | 110.00 |
| Thuya | Occide | ntalis | | 3-31/2 | " | $\frac{1.30}{1.70}$ | 12.50 16.00 | 110.00 |
| | | • • • • • | | 31/2-4 | " | $\frac{1.70}{2.20}$ | 21.00 | 150.00 190.00 |
| | | | | 4-41/2 | " | $\frac{2.20}{2.85}$ | 26.50 | 245.00 |
| 6.6 | | | | 41/2-5 | " | 3,60 | 34.00 | 320.00 |
| 6.4 | " | | | 5-6 | " | 4.50 | 42.50 | 400.00 |
| 4.4 | " | • • • • • | | 6-7 | " | 6.00 | 57.00 | |
| " | " | | | 7-8 | " | 8.50 | 80.00 | |
| " | " | | | 8-9 | " | 10.00 | | ••••• |
| Thuya | Pyram | idalis | | 11/2-2 | 66 | .80 | 7.50 | 70.00 |
| " | - 5-00 | | | 2-21/2 | " | 1.10 | 10.00 | 95.00 |
| 4 6 | | • • • • • • | | 21/2-3 | " | 1.40 | 13.00 | 125.00 |
| " | 4.6 | | | 3-31/2 | " | 1.80 | 17.00 | 165.00 |
| 4.4 | " | | | 31/2-4 | " | 2.35 | 22.00 | 215.00 |
| 6 6 | " | | | 4-41/2 | " | 3.00 | 28.00 | 270.00 |
| 6.6 | " | | | 4 1/2 - 5 | " | 3.50 | 33.00 | 325.00 |
| " | " | | | 5-6 | " | 4.75 | 45.00 | 440.00 |
| " | " | | | 6-7 | " | 6.50 | 62.50 | |
| " | " | | | 7 | " | 8.50 | 82.50 | |
| Thuya | Warea | | , | 15-18 | | .65 | 5.50 | 45.00 |
| " | " | • | | 1 12-2 | ft. | .90 | 7.50 | 65.00 |
| " | " | | | 2-21/2 | | 1.30 | 11.00 | 90.00 |
| Tsuga | Canado | | | 11/2-2 | " | 1.50 | 14.00 | ••••• |
| " | " | - | | 2-21/2 | " | 2.20 | 20.00 | |
| " | " | | | 21/2-3 | " | 2.65 | 25.00 | ••••• |
| | | • • • • • | | 3 | •• | 3,25 | • • • • • • • | ••••• |
| | | _ | | | | | | |

BROAD LEAFED EVERGREENS

BALL AND BURLAP

| Azalea | Amoena | 6-8 | in. | .65 | 6.00 | 55.00 |
|--------|------------|-------------|-----|------|-------|--------|
| | | | | .95 | 8.50 | 75.00 |
| 6.6 | " | 10 - 12 | " | 1.20 | 11.00 | 100.00 |
| Azalea | Hinodegiri | 4-6 | " | .55 | 5.00 | 45.00 |
| 6.6 | " | 6-8 | " | .75 | 7.00 | 65.00 |
| " | " | 8-10 | " | 1.05 | 9.50 | 85.00 |
| " | " | 10-12 | " | 1.25 | 12.00 | |
| " | " " | 12-15 | " | 1.75 | | |
| " | " | | | | | |

HOWE NURSERIES SPRING, 1931 PENNINGTON, N. J.

| Ball and | Burlap | Siz | ze : | Each | Per Ten | Per 100 |
|------------------|----------------|--------------------------|------|---------------------|-----------------------|---------------|
| Buxus Sempervi | rens, specimen | 24-27 | " | 4.50 | 43.00 | |
| (((() | | 27-30 | " | 6.00 | 57.50 | |
| " | | 21/2-3 | ft. | 7.50 | 70.00 | |
| Cotoneaster Hor | rizontalis | 12-15 | in. | .90 | 7.50 | |
| 6.6 | | 15-18 | " | 1.25 | 10.00 | |
| " | | 18-24 | 66 | 1.50 | 12.50 | |
| Ilex Crenata | | 12 - 15 | " | 1.25 | 11.00 | |
| " " | | 15-18 | " | -1.50 | 14.00 | |
| " " | | 18-24 | " | 2.00 | 18.00 | |
| " " | | 2 | ft. | 2.50 | | |
| Kalmia Latifolia | | 12-15 | | 1.00 | | |
| " | | 15-18 | " | 1.25 | | |
| " | | 18-24 | " | 1.5 0 | | |
| | | 2 | ft. | 2.25 | | |
| " | | $2^{1/2}$ | | 2.75 | | |
| " | | 3 | | 3.50 | | |
| Pieris (Androm | eda) Japonica | -12-15 j | in. | 1.50 | 14.00 | • · · · · · · |
| " | , ii | 15-18 | | 1.75 | 17.00 | • • • • • • • |
| " | " | 18-24 | 6.6 | 2.75 | | • • • • • • • |
| | Carolinianum | | ft. | 3.50 | 32,50 | |
| " | | 2 | " | 4.25 | 40.00 | • • • • • • |
| " | " | 21/2 | " | 5.25 | 50.00 | |
| Rhododendron C | | 1 1/2 | " | 3.50 | 32.50 | • • • • • • • |
| " | " | 2 | " | 4.25 | 40.00 | • • • • • • |
| * | | 21/2 | | 5.25 | 50.00 | ••••• |
| | Hybrid | 12-15 | ın. | 3.00 | 27.50 | |
| Pink-white-lay | | 15-18 | " | 4.00 | | • • • • • • • |
| Rhododendron 1 | Maximum | 2 | " | $\frac{2.50}{2.00}$ | 24.00 | • • • • • • |
| " | | $\frac{2\frac{1}{2}}{3}$ | " | $\frac{3.00}{3.50}$ | $\frac{29.50}{32.50}$ | • • • • • • • |
| | | 3 ½ | " | | | • • • • • • |
| " | | 3 ½ 4 | " | $\frac{4.00}{5.50}$ | 37.50 | • • • • • • |
| " | | 4± | | 11.111 | | |
| | 6.6 | 5 | 66 | 7.50 | | |



HOWE NURSERIES Pennington, N. J.



Propagators and Growers of Evergreens

